AD-A248 642

DDDPDPHM/USA/DDD/NADTR92104



PERFORMANCE ORIENTED PACKAGING TESTING

DF

WIREBOUND BOX

FOR

SMAW ROCKETS

BY:

KERRY J. LIBBERT

MECHANICAL ENGINEER



Perforning Activity: Crane Division Naval Surface Warfare Center Crane, Indiana 47522-5000

MARCH 1992

FINAL

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Sponsoring Organization: Naval Weapons Station Earle Program Management Office - Code 50 Colts Neck, New Jersey 07722-5000

92-09515

Prepared by:

7. J. Libbert

Reviewed by:

?. F. Sanders

Reviewed by:

R. F. Karcher

Approves by:

N. Montgomery

REPORT DOCUMENTATION PAGE

Form Approved
OMB No 0704-0188

Published the formal burger forms on extending and reviewing the Cirection of information. Send comments regarding this burger estimate of any existing and reviewing the Cirection of information. Send comments regarding this burger estimate of any other size of other size of other size of other sizes of o

Davis highiya. Suite 1204, 4% ngton 1,4, 22202	4302 and to the Office of Management and	Budger Paperwork Reduct on Proje	ort (0.104-0.186 Washington 0.6-2050.3
1. AGENCY USE ONLY (Leave blan	k) 2 REPORT DATE 18 Mar 92	3. REPORT TYPE AND Final	DATES COVERED
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS
Performance Oriented F Boxes for SMAW Rockets		irebound Wood	
6. AUTHOR(5)			4
Kerry J. Libbert			
7. PERFORMING ORGANIZATION N	AME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER
Crane Division Naval Surface Warfare Code 5053	DODPOPHM/USA/DOD/ NADTR 92104		
Crane, IN 47522			NADIK 92104
9. SPONSORING MONITORING AGE	NCY NAME(S) AND ADDRESS(ES)	10. SPONSORING MONITORING AGENCY REPORT NUMBER
Crane Division	C		**
Naval Surface Warfare Code 5033	center		
Crane, IN 47522			
11. SUPPLEMENTARY NOTES			
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION AVAILABILITY	STATEMENT		126 DISTRIBUTION CODE
Unlimited Distribution			
13. ABSTRACT (Maximum 200 word	3)		
Qualification test wirebound wood box compackaging requirements Transport of Dangerous to a gross weight of 7	specified by the Uni Goods. The containe	ets meets the Pe ted Nations Reco	rformance Oriented mmendations on the
			1
			14. 1. 110.00 0. 0.00
14. SUBJECT TERMS Performance Oriented P Wirebound Wood box	15 NUMBER OF PAGES 8		
Shoulder Mounted Assau	16 PRICE CODE		
	18 SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFIC OF ABSTRACT	ATION 20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	SAR

INTRODUCTION

The packaging system for various Shoulder Mounted Assault Weapon (SMAW) encased rockets was tested to ascertain whether the container would meet the requirements of Performance Oriented Packaging (POP) as specified by the United Nations Recommendations on the Transport of Dangerous Goods Document, ST/SG/AC.10/1, Revision 6, Chapters 4 and 9. A base level vibration test was also conducted in accordance with the rulings specified by the Department of Transportation Performance Oriented Packaging Standards, 49 CFR Part 106 et al. Federal Register/Vol. 56, No. 245/Friday, December 20, 1991/Rules and Regulations. The objectives were to evaluate the adequacy of the container in protecting and retaining the rockets when secured with appropriate dunnage.

Three rockets are packed in polyethylene foam dunnage inside a fiberboard box, as shown in Figure 1. Two of the fiberboard boxes are then packed inside a wirebound wood box as shown in Figure 2.

TESTS PERFORMED

1. Drop Test


This test was performed in accordance with ST/SG/AC.10/1, Chapter 9, Paragraph 9.7.3. Five containers were used during the test series, one for each drop. The drop height was 1.2 meters and the drop sequence was as follows:

- a. Flat on Bottom
- b. Flat on Top
- c. Flat on Long Side
- d. Flat on Short Side
- e. On a Corner

The test was performed at ambient temperature $(70^{\circ} + 20^{\circ} F)$. The contents of the container should be retained within its packaging and exhibit no damage liable to affect safety during transport.

2. Stacking Test

This test was performed in accordance with ST/SG/AC.10/1, Chapter 9, Paragraph 9.7.6. Three different containers were used, each with a stack weight of 1720 pounds. The test was performed for 24 hours. After the allowed time, the weight was removed and the container examined. Any leakage, deterioration, or distortion which could adversely affect transport or reduce its strength or cause instability in stacks of packages is cause for rejection.






Figure 2.

Outer pack- two fiberboard inner packs containing three rockets each in a wirebound wood box.

3. Base Level Vibration Test

This test was performed in accordance with the Federal Register/Vol 56, No. 245/Friday, December 20, 1991/Rules and Regulations. Three sample containers were loaded with inert rockets and closed as for shipment. Each container was placed on a vibrating platform that had a vertical double-amplitude (peak-to-peak displacement) of one inch. The packages were constrained horizontally to prevent them from falling off the platform, but were free to move vertically, bounce and rotate. The test was performed for one hour at a frequency that caused each point of the container bottom to be raised from the platform to such a degree that a 1.6mm thick metal strip could be passed between the bottom of any package and the platform.

PASS/FAIL (UN CRITERIA)

The criteria for passing the drop test is outlined in Paragraph 9.7.3.5 of ST/SG/AC.10/1 and states the following: "Where a packaging for solid" undergoes a drop test and its upper face strikes the target, the test sample passes the test if the entire contents are retained by an inner packaging or inner receptacle (e.g., a plastic bag), even if the closure is no longer sift-proof".

The criteria for passing the stacking test is outlined in Paragraph 9.7.6.3 of ST/SG/AC.10/1 and states the following: "No test sample should show any deterioration which could adversely affect transport safety or any distortion liable to reduce its strength or cause instability in stacks of packages".

PASS/FAIL (FEDERAL REGISTER CRITERIA)

The criteria for passing the Base Level Vibration Test is outlined in the Federal Register/Vol. 56, No. 245/Friday, December 20, 1991/Rules and Regulations and states the following: "Immediately following the period of vibration, each package shall be removed from the platform, turned on its side and observed for any evidence of leakage. A packaging passes the vibration test if there is no rupture or leakage from any of the packages. No test sample should show any deterioration which could adversely affect transportation safety or any distortion liable to reduce packaging strength."

TEST RESULTS

1. Drop Test

Satisfactory.

2. Stacking Test

Satisfactory.

3. Base Level Vibration Test

Satisfactory.

DISCUSSION

1. Drop Test

After each drop the container was inspected for any damage which would be cause for rejection. Final inspection revealed minor damage to the boxes, but no spillage of contents.

2. Stacking Test

Three containers were individually tested. Each container was visibly inspected after the 24-hour period was over. There was no leakage, distortion, or deterioration to the container as a result of this test.

Base Level Vibration Test

Immediately following the vibration test, each container was removed from the platform, turned on its side and observed for any evidence of leakage. All latches remained fastened and there was no evidence of leakage of contents.

REFERENCE MATERIAL

United Nation's "Recommendations on the Transport of Dangerous Goods", ST/SG/AC.10/1, Revision 6

Department of Transportation Performance Oriented Packaging Standards, 49 CFR Part 106 et al. Federal Register/Vol. 56, No. 245/Friday, December 20, 1991/Rules and Regulations

DISTRIBUTION LIST

Commander
Crane Division
Naval Surface Warfare Center
Code 5053 and Code 503
Crane, IN 47522-5000

Commanding Officer Naval Weapons Station Earle Code 50 and Code 50232 Colts Neck, NJ 07722-5000

Defense Technical Information Center (2 copies) ATTN: DTIC/FDAC (Virginia Guidi) Bldg. 5, Cameron Station Alexandria, VA 22304-6145

Headquarters, Military Traffic Management Command (2 copies)
ATTN: MTMC/MT-SS (C. E. Radford)
5611 Columbia Pike
Falls Church, VA 22041-5050

Defense General Supply Center DDRV-TMPA (Dave Gay) Richmond, VA 23297-5000

DATA SHEET

CONTAINER: Wirebound Wood Box for SMAW	V Encased Rockets
Type: 4C1	UN Code:
Specification Number:	Material:
MIL-B-46506	Wood
Gross Weight:	Dimensions:
71.0 kg	1.00m L x .52m W x .41m H
(156.4 pounds)	(39.75" L x 20.50" W x 16.00" H
Closure (Method/type):	Tare Weight:
Wire	13.6 kg
	(30.0 pounds)
Additional Description: Ir foam cushions.	nner pack is fiberboard box with
PRODUCTS: See Table I	
Proper Shipping Name: See	Table II
United Nations Number: See	Table I
United Nations Packing Grou	ıp: II
Physical State: Solid	
Amount Per Container: 6	
Net Weight: Varies	
TEST PRODUCT:	
Name: Inert Rockets	
Physical State: Solid	
Size: N/A	
Quantity: 6	
Dunnage: Foam polyethylene	3
Gross Weight: 71.0 kg (156.	

TABLE I

DODIC OR NALC	. NSN	ITEM	TYPE	PACKING DRAWING	HAZ. CL.	UN NO.	GROSS WT. (KG)
HX04	1340-01-159-8082	ROCKET	MK4-0	82A5027A0301	1.1C	0280	62
HXQ5	1340-01-158-0577	ROCKET	MK3-0	82A5027A0201	1.1E	0181	62
HX06	1340-01-227-8870	ROCKET	MK6-0	82A5027A0271	1.1E	0181	65
HX07	1340-01-227-8871	ROCKET	MK7-0	82A5027A3400	1.1C	0280	62

TABLE II

UN	PROPER
SERIAL	SHIPPING
NUMBER	NAME
0181	ROCKETS
0280	ROCKET MOTORS